CDM[™]7NT Floor-standing loudspeaker system

Product Summary

- The CDM 7NT is a floorstanding loudspeaker, exquisitely finished in a choice of real wood veneers. The extra volume and drive unit gives an extended bass response.
- Technological features include Nautilus[™] tweeter, Kevlar[®] mid/bass driver, bass radiator with mushroom construction dustcap and Flowport[™].

Technical highlights



Tweeter on top: B&W's Tweeter on top technology ensures that the sound remains focused and time-sensitive and that the stereo-image is presented with unparalleled three dimensional accuracy.



Kevlar®: B&W developed and patented the method of using Kevlar® for loudspeaker cones to reduce unwanted standing waves. DuPont originally created Kevlar® for use in bulletproof vests.



Flowport[™]: Golf ball aerodynamics theory points the way towards lower distortion reflex ports. Dimples improve the way the air flows over the surface of any object. In the case of reflex ports, they offer a significant improvement over simply flaring the port ends in reducing air flow turbulence at each end of the port; so you get less chuffing noise and less compression at high sound levels.



	1		
Description	2 ¹ /2-way vented-box system	Sensitivity	90dB spl (2.83V, 1m)
Drive units	1 x 25mm alloy dome high-frequency	Nominal impedance	8 (min 4.6)
	1 x 165mm woven Kevlar® cone	Power handling	50W · 150W into 8 ohm on unclipped
	bass/midrange		programme
	1 x 165mm woven paper/Kevlar®	Dimensions	Height: 950mm Width: 220mm
	cone bass		Depth: 290mm
Frequency response	40Hz - 20kHz ± 3dB on reference	Finishes	Cabinet: Real wood veneers, Black Ash,
	axis		Cherrywood, Red Stained Cherrywood
			Grilles: Black cloth

